

Hardback Portfolio

P A T T E R N

WWW.CHOLYKNIGHT.COM

BOTTOM POCKET

Cut 2 of contrast fabric

Cut 2 of mediumweight fusible interfacing
(sans seam allowances)

½" seam allowance



fold line

A1 A2

page bracket guideline

A3 A4

pocket guideline

Hardback Portfolio

P A T T E R N

WWW.CHOLYKNIGHT.COM


INNER PORTFOLIO

Cut 2 of main fabric

Cut 2 of lightweight fusible interfacing

½" seam allowance

A3 A4



Hardback Portfolio

PAGE BRACKET

Cut 2 of contrast fabric
 Cut 1 of mediumweight fusible interfacing
 (sans seam allowances)
 1/4" seam allowance

opening for turning



brad placement

grommet placement


grommet placement

opening for turning


opening for turning



B1 B2



B3 B4





33 B4

elastic
guideline

Hardback Portfolio

P A T T E R N

WWW.CHOLYKNIGHT.COM

OUTER PORTFOLIO


Cut 1 of main fabric

Cut 1 of cotton batting

Cut 1 of lightweight fusible interfacing

1/2" seam allowance

C1 C2



C1 C2

C3 C4



Cut 1 of lightweight fusible interfacing
1/2" seam allowance

C3 C4

elastic
guideline

